



# HeatBloC<sup>®</sup> MCom – the heating circuit 4.0

Innovative system technology for modern heating









# Whether it's about Smart Home in a single-family house or as Direct Digital Control (DDC) in a central building control system – The HeatBloC<sup>®</sup> MCom upgrades your heating system to level 4.0

The **HeatBloC® MCom** conbines high-quality and durable components of a PAW standard heating circuit with the latest sensor technology, actuator technology and control technology. In doing so, numerous installation values (data points) are immediately provided and must not be additionally integrated. **System monitoring is thus easier than ever before!** 

The heating circuits of the HeatBloC<sup>®</sup> MCom series can be connected to a multitude of Smart Home centrals. The connection is usually established via system-specific gateways. It is therefore compatible with all the common Smart Home systems, but can also be established directly via Modbus.

With the optional communication set and the free PAW app, the HeatBloC<sup>®</sup> MCom can be easily:

- 🗸 installed
- ✓ optimized
- 🗸 documented





## The advantages of the app at a glance:

• Fully equipped heating circuit including sensor technology and actuator technology

 No subsequent installation of additional components (differential pressure controller), no hidden cost

### Easy integration into Smart Homes

- $\checkmark$  Combatible with all common Smart Home systems
- ✓ Modbus-compatible

### • Quick commissioning of every heating line

- ✓ Hydraulic balancing of distribution manifold happens automatically
- ✓ No time-consuming adjustment of regulating valve and overflow valve
- $\checkmark$  Radiator balancing is possible with the free PAW app

### BAFA-listed components

- $\checkmark$  Quick processing of subsidy requests
- ✓ Subsidies for heating circuits and communication sets (heating optimisation)

### Measuring and visualising of system parameters

- $\checkmark$  Optimize the energy distribution: minimize operating costs without any loss of comfort
- $\checkmark$  Increase the reliability

# Quick - reliable - efficient PAW Smart Home solution

### HeatBloC<sup>®</sup> MCom: Easy commissioning and high living comfort included!



The **HeatBloC® MCom** guarantees **easy commissioning and high reliability** for high comfort demands. Time-consuming adjustments can be left out and additional visits of your craftsman are not required.

#### The HeatBloC® MCom automatically adapts to any operating condition.

The heat is transferred to where it is needed.

### Installation – Adjustment – Comfort!



HeatBloC<sup>®</sup> MCom: Dynamic hydraulic balancing included!



### Installation – Adjustment – Comfort: The Plug & Play solution!

Not only does the **HeatBloC® MCom** save you a lot of pump energy and money - combined with the **communication set** and the free **PAW app** it also makes **hydraulic balancing of your radiators possible** - hydraulic balancing certificate included:

- ✓ System data: heating loads, thermal output, heating circuits
- ✓ Heating parameters: flow temperature, flow rate, differential pressure
- ✓ **Documentation** (VdZ form for hydraulic balancing, compliant with KFW/BAFA)

With this easy hydraulic balancing, you and your craftsman are on the same side and you will receive subsidies in no time!





### HeatBloC<sup>®</sup> MCom: Important data included!

Ø

Unlike other systems, the **HeatBloC® MCom** does not require any additional hardware installations. You will not have any hidden retrofitting cost for upgrades of your sensor technology or actuator technology.

With the **HeatBloC® MCom** you can display and adjust the following values in your **Smart Home system**:

- Temperature
  - ✓ T<sub>FL-AC</sub>, T<sub>FL-NOM</sub>
    ✓ T<sub>RT-AC</sub>
- Differential pressure
  ✓ Δp<sub>AC</sub>, Δp<sub>NOM</sub>

Flow rate

✓ F<sub>RAC</sub>

- Status messages/Balance values
  - ✓ Sensors: min./max. values, error messages
  - Mixing valve: control (0-10 V), current rotation angle
  - Pumps: control (PWM), calculated flow rate, error messages

# HeatBloC<sup>®</sup> MCom: CO<sub>2</sub>- and cost reduction included!

The energy-efficient **HeatBloC® MCom** is **BAFA listed**, so you can request the **BAFA and KfW** quickly and easily.

Other countries (like Austria) have similar subsidy programmes.

Due to the intergration into the Smart Home, the **HeatBloC® MCom** operates at the lowest flow temperature. Space-time-user profiles of electronic thermostatic valves that used to be rigid can be combined with window contacts, motion detectors, weather reports and user profiles.

















PAW GmbH & Co. KG Böcklerstraße 11 31789 Hameln Germany C+49-5151-9856-0 母+49-5151-9856-98 @ info@paw.eu www.paw.eu



Printed in Germany • We reserve the right to make 994536xxx-fly-en • Version: V04 • Issued: 2025/01 technical changes without notice!